

**GS 150 Blowing Unit**

Product Code: 72662

**Product Description**

The GS150 has a compact battery powered motor to push the fibre unit and micro cable into various sizes of micro duct. When combined with compressed air the GS150 will quickly and efficiently install fibre at speeds of up to 115m/min. The unit's machined aluminium construction provides a lightweight profile with long life and durability. The GS150 comes supplied with a carry case for ease of transportation and storage

Application

The GS150 can be used for all aspects of FTTX blown fibre installation. It is capable of blowing fibre unit and micro cable (1.0-2.5mm) into microducts of 5-8mm.

Features

- 2 x battery operated (2 batteries – one can be used while the other charges)
- Small and lightweight
- Compatible with new Emtelle compressor range
- Less electronics than previous machines – less maintenance
- No membrane dryer required when blowing (unless in extreme temperatures)
- Tripod included for ease of use
- No 15 bar dispenser required
- Global repairs available
- Centre blow technique can be achieved using current closedown assemblies
- 240V battery charger
- LCD screen, featuring speed, distance and machine distance counter
- Easy to read air pressure gauge
- Built in clamping system with interchangeable seals
- Quick release air connections

This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.

This document is protected by copyright (c) Emtelle Group [2020]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

www.emtelle.com

Material & Technical data

Machined aluminium body
 Electronic compact motor for drive wheel (single roller drive)
 Duct range: 5-8mm
 Fibre range: 1.0-2.5mm
 Installation speed: 115m/min
 Weight: 2.27kg
 Power: rechargeable battery
 Push force: 20N
 Air pressure: 15bar max
 Forward and reverse installation
 Torque adjustment

Product overview:

Product Code	72662
GS150 Blowing Unit	Yes
240V UK Version	Yes
5mm Duct Pack	Yes
1.25mm & 1.75mm Cable seal packs	Yes
2 x 10.8V Batteries (Plus Charger)	Yes
Hard Shell Carry Case	Yes
Tripod	Yes

Accessories

Product Code	Description
	Blowing Machine
72662	GS150 MICROBLOWER KIT-EMTELLE
	Microduct Pack Assembly
72888	5.0mm Duct Pack Assy (includes 10 O-Rings)
72889	6.0mm Duct Pack Assy (includes 10 O-Rings)
72890	7.0mm Duct Pack Assy (includes 10 O-Rings)
72891	8.0mm Duct Pack Assy (includes 10 O-Rings)
	Microduct O-rings
72892	KIT, O-RINGS-5.0MM DUCT (12PC) Additional
72893	KIT, O-RINGS-6.0MM DUCT (12PC) Additional
72894	KIT, O-RINGS-7.0MM DUCT (12PC) Additional
72895	KIT, O-RINGS-8.0MM DUCT (12PC) Additional
	Cable Seals
72896	1.25mm (includes 6 seals)
72897	1.50mm (includes 6 seals)
72898	1.75mm (includes 6 seals)
72899	2.00mm (includes 6 seals)
72900	2.25mm (includes 6 seals)
72901	2.50mm (includes 6 seals)
72902	Blanks (includes 6 seals)

This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.

This document is protected by copyright (c) Emtelle Group [2020]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

www.emtelle.com

	Other Accessories
72903	Tripod with mount
72904	Smooth Belt (Orange)
72905	Belt Small Groove (Orange)
72906	Belt with Large Groove (Green)
72907	AC Inverter option
72908	DC Battery Option 10.8V – INTL (CE Approved)
72909	DC Accessory Auto Plug Power Cord (10M)
72910	Flow Regulator Kit
75521	Seal Kit (Adhesive Included)

Packaging and Labelling

All products suitably packaged in recyclable materials and clearly labelled with Emtelle Product Code and Description where possible.



This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.

This document is protected by copyright (c) Emtelle Group [2020]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

www.emtelle.com