





EMTELLE HomeConnect

This product is intended for use where an installer needs a quick and easy one stop solution for an internal/external drop cable installation. The product comes pre-terminated with a LC or SC connector at the house end.

There is a 3mm LFH sheath for internal use, which is covered by a 5mm PE sheath for external use, both protecting the fibre inside the product. The only solution on the market with a slideable and adjustable external cable sheath on an internal cable.



EMTELLE HOMECONNECT BENEFITS

- Product pre-connectorised with LC/APC or SC/APC connectors
- Strong flexible PE black outer sheath (colour options)
- · Discreet, small and flexible LFH inner sheath
- Quick Installation
- Low skill resource requirement
- Low installation equipment cost
- The only solution on the market with slideable & adjustable external sheath on an internal cable!



THE FULL EMTELLE HOMECONNECT SOLUTION



EMTELLE HOMECONNECT VALUE PROPOSITION







EMTELLE HOMECONNECT INSTALLATION GUIDE



Delivered on coils. Available in lengths of 5m, 20m, 30m & 50m.



Plug in Emtelle HomeConnect into CCP.



Slide and adjust the external sheath to expose LFH tube to required length.



Run the 3mm cable to exit point within the home.



Exit home using internal lead in kit.



At CCE, secure 3mm LFH & 5mm PE cables as shown.



Run the cable to the nearest splice or fibre connectivity point.



Strip and prepare the fibre.



Splice the fibre bare end and connect Emtelle HomeConnect at the access chamber or cabinet.

CONTACT US

Emtelle Head Office

Haughhead Hawick TD9 8LF United Kingdom

+44 (0) 1450 364 000

info@emtelle.com

Emtelle Scandinavia

Vardevej 140 7280 Sønder Felding Denmark

+45 86 28 84 88

alg@emtelle.com

Emtelle GmbH

An der Flurscheide 20 99098 Erfurt Germany

+49 (0) 361 654 330

info-de@emtelle.com

Emtelle Asia Pacific

No. 4, Jalan PJU 1A/8 Ara Damansara 47301 Petaling Jaya Selangor, Malaysia

\$\sigma\$ +60 (0)3 7845 4406

info-my@emtelle.com







