


# Cable Proposal CP4281



18-March-2020 Version 0 Page 1 of 1

## 12-WAY DBMF 7/3.5MM WEBFLEX NATURAL

*Microduct, sheath and any stripe colour for illustration only, to be defined at product set up*



### PRODUCT OVERVIEW

#### Application

This product is designed for direct burial installation into suitably prepared ground.

#### Overall

Product Diameter	
Product Dimensions	46.88mm x 27.01mm
Product Weight	491g/m
Colour	Nat
Metal Free	No
Minimum Bend Radius <small>(Note 4)</small>	35D
Maximum Tensile Load	4000N

#### Microducts

Primary Microduct(s)	12x 7/3.5mm, HDPE, low friction liner, ribbed natural (2xorange), natural (2xblue), natural (2xgreen), natural (2xred), natural (2xgrey), natural (2xyellow), natural (2xbrown), natural (2xviolet), natural (2xblack), natural (2xwhite), natural (2xpink), natural (2xaqua)
----------------------	---

#### Construction

Outer Sheath	LDPE, nat, 0.5mm thick
Tracer Wire	Yes

*Note 1: Diameters and thicknesses are measured to nearest 0.1mm.*

*Note 2: All dimensions and weight are 'nominal'.*

*Note 3: 'nominal' data is based on middle-spec, and is for information only, not for inspection purposes.*

*Note 4: 'D' is the appropriate product diameter for the bending direction.*