Covers and Frames
(Concrete)

Product Description

Cover & frames are certified to European Standard Class B125 of BS-EN124 and kite-marked. They are suitably designed with manual handling requirements in mind and feature slide out covers with tapered sides to allow covers to be safely removed by one person using the correct lifting key.

Application

Telecoms, Gas, Rail, Electricity, Motorway Communication, Traffic Signalling and Street Lighting.

Suitable for use in footpaths, car parks, grass verges and areas with slow moving traffic including HGV's as designated by their performance limitations.

Design Features

- Slide out cover
- Bespoke badging / locking
- Single person lifting
- Any size of cover possible
- Excellent slip resistance rating
- No inherent scrap value

Material & Technical data

Covers are in galvanised steel, factory filled with reinforced, high strength concrete. All steel is hot dip galvanised to EN1461 to offer a life expectancy in excess of 30 years.

Testing & Standards

Meets the vertical loading requirements of BS EN124 Class B125 i.e. 125kN (12.5T) and galvanized coating of steel to EN1461.

GLOBAL MANUFACTURER OF PRE-CONNECTORISED, BLOWN FIBRE CABLE & DUCTED NETWORK SOLUTIONS

Standard Dimensions, Colours & Product Codes

UNBADGED sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
70352	FW1/EN1	B125	300 x 450	52	52	1	None		30	NO
5069	EN38	B125	380 x 230	467 X 316	52	1	None	24	30	NO
TBC	EN45	B125	450 x 450	542 X 542	52	1	None	43	25	NO
70365	FW5/EN5	B125	550 x 315		52	1	None		16	NO
4843	FW1/EN1	B125	600 x 450	692 X 542	52	1	None	52	20	NO
70358	FW1/EN1	B125	600 x 450	692 X 542	52	1	None	52	22	YES
9235	FW2/EN2	B125	725 x 255	817 X 347	52	1	None	43	24	NO
9513	EN1730	B125	730 x 460	825 x 556	52	1	None	69	16	NO
4844	FW3/EN3	B125	750 x 600	836 X 686	52	1	None	79	16	NO
70349	EN96	B125	900 x 600		52	1	None		12	NO
70292	EN99	B125	900 x 900	992 X 992	52	2	None	149	5	NO
9053	FW4/EN4	B125	915 x 445	1007 X 537	52	1	None	78	16	NO
5090	FW6/EN6	B125	1310 x 610	1402 x 702	52	2	None	143	10	NO
70672	TBC	B125	1500 x 750		52	2	None	193	5	TBC
70372	FW11/EN11	B125	1705 x 710	1797 X 802	52	3	None	217	5	NO
4776	FW10/EN10	B125	2320 x 740	2412 X 832	52	3	None	295	5	NO

VTESSE badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
4699	FW1/EN1	B125	600 x 450	692 X 542	52	1	Vtesse	52	22	NO
4689	FW3/EN3	B125	750 x 600	836 X 686	52	1	Vtesse	79	16	NO
4690	FW4/EN4	B125	915 x 445	1007 X 537	52	1	Vtesse	78	16	NO
5031	FW6/EN6	B125	1310 x 610	1402 x 702	52	2	Vtesse	143	10	NO

CATV badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
70386	FW1/EN1	B125	300 x 450		52	1	CATV		30	NO
1419S	EN38	B125	380 x 230	467 X 316	52	1	CATV	24	30	YES
1324S	EN1324	B125	550 x 315	635 x 401	52	1	CATV	40	24	YES
70364	FW5/EN5	B125	550 x 315		52	1	CATV		16	NO
TW1R	ENTW1	B125	560 x 240	626 x 306	52	1	CATV	32	35	YES
70354	FW1/EN1	B125	600 x 450		52	1	CATV		20	NO
TW2R	FW1/EN1	B125	600 x 450	692 X 542	52	1	CATV	52	22	YES
70360	FW2/EN2	B125	725 x 255		52	1	CATV		24	NO
1730S	EN1730	B125	730 x 460	825 x 556	52	1	CATV	69	16	YES
TW4R	EN3	B125	750 x 600	836 X 686	52	1	CATV	79	12	YES
70338	FW3/EN3	B125	750 x 600		52	1	CATV		16	NO
4816	FW4/EN4	B125	915 x 445	1007 X 537	52	1	CATV	78	16	NO
9093	EN4A	B125	915 x 445	1007 X 537	52	1	CATV	78	16	SEE NOTE 1
4582	FW6/EN6	B125	1310 x 610	1402 x 702	52	2	CATV	143	10	NO
70371	FW11/EN11	B125	1705 x 710	1797 X 802	52	3	CATV	217	5	NO
4776A	FW10/EN10	B125	2320 x 740	2412 X 832	52	3	CATV	295	5	NO

NOTE 1: dimensions of the rising frame must be 895 x 445mm to ensure that the frame fits inside the 900 x 450mm clear opening chamber.

www.emtelle.com

GLOBAL MANUFACTURER OF PRE-CONNECTORISED, BLOWN FIBRE CABLE & DUCTED NETWORK SOLUTIONS

CCTV badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
5181	FW1/EN1	B125	600 X 450	692 X 542	52	1	CCTV	52	20	NO

VODAFONE badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
70350	FW1/EN1	B125	300 x 450		52	1	Vodafone		30	NO
70347	1419	B125	380 x 230	467 X 316	52	1	Vodafone		30	
Nonrising	1419	B125	380 x 230	467 X 316	52	1	Vodafone		30	
70346	1324	B125	550 x 315	635 x 401	52	1	Vodafone		24	
Nonrising	1324	B125	550 x 315	635 x 401	52	1	Vodafone		24	
70363	FW5/EN5	B125	550 x 315	635 x 401	52	1	Vodafone		16	NO
70373	TW1	B125	560 x 260		52	1	Vodafone		35	
70356	FW1/EN1	B125	600 x 450	692 X 542	52	1	Vodafone		22	
70353	FW1/EN1	B125	600 x 450	692 X 542	52	1	Vodafone		22	NO
9537	FW5/EN5	B125	610 x 610	702 X 702	52	1	Vodafone	73	16	NO
70359	FW2/EN2	B125	725 x 255		52	1	Vodafone		24	NO
70348	1730	B125	730 x 460	825 x 556	52	1	Vodafone		16	
Nonrising	1730	B125	730 x 460	825 x 556	52	1	Vodafone		16	
70361	FW3/EN3	B125	750 x 600	836 X 686	52	1	Vodafone		16	NO
4678	FW4/EN4	B125	915 x 445	1007 X 537	52	1	Vodafone	78	16	NO
9563	FW6/EN6	B125	1310 x 610	1402 X 702	52	2	Vodafone	143	10	NO
9562	FW11/EN11	B125	1705 x 710	1797 X 802	52	3	Vodafone	217	5	NO
70369	FW10/EN10	B125	2320 x 740	2412 X 832	52	3	Vodafone	295	5	NO

VERIZON badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
9136	FW4/EN4	B125	915 x 445	1007 x 537	52	1	Verizon	80	16	NO
4745	FW6/EN6	B125	1310 x 610	1402 x 702	52	2	Verizon	143	10	NO

GEO badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
9120	FW2/EN2	B125	725 x 255	817 x 347	52	1	Geo	43	24	NO
9116	FW4/EN4	B125	915 x 445	1007 x 537	52	1	Geo	78	16	NO
70366	FW6/EN6	B125	1310 x 610	1400 x 700	52	2	Geo	143	10	NO

UoR badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
9201	F4/EN4	B125	915 x 445	1007x 537	52mm	1	UoR	78	16	NO
9202	FW6/EN6	B125	1310 x 610	1400x700	52mm	2	UoR	143	10	NO

www.emtelle.com

GLOBAL MANUFACTURER OF PRE-CONNECTORISED, BLOWN FIBRE CABLE & DUCTED NETWORK SOLUTIONS

ABOVENET badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
9258	FW6/EN6	B125	1310 x 610	1402 X 702	52	2	Abovenet	143	10	NO

SSE badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
9308	FW6/EN6	B125	1310 x 610	1402 X 702	52	2	SSE	143	10	NO
9540	FW4/EN4	B125	915 x 445	1007 x 537	52	1	SSE	78	16	NO

METROMEDIA badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
TBC	FW4/EN4	B125	915X445	1007X537	52mm	1	METROMEDIA	78	16	NO
TBC	FW6/EN6	B125	1310 x 610	1402 x 702	52mm	2	METROMEDIA	143	10	NO

SURF badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
70462	FW6/EN6	B125	1310 x 610	1402 x 702	52mm	2	SURF	143	10	NO
70461	FW11/EN11	B125	1705 x 710	1797 X 802	52mm	3	SURF	217	5	NO
70611	FW4/EN4	B125	915X445	1007X537	52mm	1	SURF	78	16	NO

COLT badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
5017	FW6/EN6	B125	1310 x 610	1402 x 702	52mm	2	COLT	143	10	NO
5018	FW4/EN4	B125	915X445	1007X537	52mm	1	COLT	78	16	NO

NEOS badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
5038	FW6/EN6	B125	1310 x 610	1402 x 702	52mm	2	NEOS	143	10	NO

KCOM badged sizes detailed in table below (Other sizes available on request)

Emtelle Code	Industry Reference	BS-EN 124 Ref	Clear Opening (mm)	Overall Size (mm)	Frame Depth (mm)	Covers / Set	Badging Option	Kgs / Set	Pallet Qty	Risers Fitted
70351	FW1/EN1	B125	300 x 450		52	1	KCL (KCOM)		30	NO
70357	FW1/EN1	B125	600 x 450	692 X 542	52	1	KCL (KCOM)		22	YES
70355	FW1/EN1	B125	600 x 450	692 X 542	52	1	KCL (KCOM)		22	NO
70362	FW4/EN4	B125	915 x 445	1007 X 537	52	1	KCL (KCOM)	78	16	NO
70367	FW6/EN6	B125	1310 x 610	1402 X 702	52	2	KCL (KCOM)	143	10	NO
70369	FW10/EN 10	B125	2320 x 740	2412 X 832	52	3	KCL (KCOM)	295	5	NO

Packaging and Labelling

All products suitably packaged in recyclable materials and clearly labelled with Emtelle Product Code and description where possible. Covers and Frames are supplied on timber pallets. The pallets are designed to be stored on an even, dry, and stable area.

GLOBAL MANUFACTURER OF PRE-CONNECTORISED, BLOWN FIBRE CABLE & DUCTED NETWORK SOLUTIONS