


EM-MARKER

2-in-1 Detection Marker Peg




Product Description

Traceability is playing an increasingly important role in a sustainable broadband network - particularly when branching to the building, when storing an overlength drop duct in the front yard or for locating the end of a microduct route. The Emtelle EM-Marker offers a small and multipurpose solution. It is not only a handy location tool, but also serves as a watertight – or if needed pressure tight - end cap for microducts or can be fixed into the Emtelle EM-Bend Manager.

Features

- ⊗ Locating tool and watertight end cap for microducts in one
- ⊗ Suitable for sealing microducts from 7-16 mm
 - Rubber can be cut off gradually depending on dimension
- ⊗ Locates the end of a route or microduct overlengths
- ⊗ Can be placed onto a branched microduct at the property line to create a locatable underground position for drilling the last drop with Drop Drill at a later date
- ⊗ Small in size, ideal for placing in small trenches or at the property line
- ⊗ Perfectly fits into the EM-Bend Manager to be able to locate the branch



Material & Technical data

Frequency:	101,4 kHz, Telecom Orange
Locator:	e.g. EML-100 locator
Locatable depth:	0.6m - horizontal installation 1.5-2.0m - vertical installation (e.g. in EM-Bend)
IP Rating	IP 68 with standard sealing
Pressure tightness	15 bar with reducing fitting (optional)



This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.

This document is protected by copyright (c) Emtelle Group [2019]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

www.emtelle.com

UK DS EM-Marker 75178

Application

2-in-1: Sealing and marker:



IP 68 (standard sealing)



15 bar (optional - combine with reducing fitting)

Em-Marker as locator in EM-Bend Manager:



This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.


This document is protected by copyright (c) Emtelle Group [2019]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

www.emtelle.com

UK DS EM-Marker 75178

Product Overview

Description	Product Code
EM-Marker incl. 7, 8, 10 & 12, 14, 16 seals	75178
EM-Marker with reducing fitting	On request



**sealing only as example*

Packaging and Labelling

All products suitably packaged in recyclable materials and clearly labelled with Emtelle Product Code and Description where possible.

This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.

This document is protected by copyright (c) Emtelle Group [2019]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

www.emtelle.com