



## Triangular Fixing Bracket



### Product Description

A dropwire fixing consisting of a galvanised steel triangular bracket with three fixing holes and a welded loop. Designed to attach a dropwire clamp at end users premises or on a multi pole route where no pole ring exists.

### Application

These brackets are primarily used where the wooden front/soffit is the only suitable place for the bracket to be attached. In this case it is advisable that screws of a substaniil length are used.

Suitable for use with 36f ULCW, BIRLA, CDC, HFCL and Dropwire as well as 48f ULW and Qwkconnect.

### Features

- Galvanised steel bracket.
- For attaching wires to poles or walls.
- Screw directly to the fascia board of a house roof.

This document is intended as a guide only. Whilst the information it contains is believed to be correct, Emtelle can take no responsibility for actions taken based on the information contained in this document. Emtelle reserves the right to make changes to this document without notice. All sales of product are subject to Emtelle's terms and conditions of sale only, which can be found on Emtelle's website.

This document is protected by copyright (c) Emtelle Group [2020]. The products depicted are protected by intellectual property rights. Any unauthorized copying of this document or of our products is prohibited and Emtelle UK Limited will take action to prevent any infringement of its rights and to claim damages for the loss that it suffers.

[www.emtelle.com](http://www.emtelle.com)